Mini-P Bluetooth firmware upgrade tutorial

Notice:

We've received some of your feedback on the disconnection of the Mini-P and the MOZA Master App. For those who can't find & connect the Mini-P with the Master App, please kindly try to upgrade the bluetooth firmware of your smartphone. Here below is the Mini-P bluetooth firmware upgrade tutorial for Android system.

Preparation:

- 1. An Android Phone.
- 2. A Mini-P gimbal.

Steps:

1. Scan QR code and download app (click the green button to download), then





install the app.

- 2. Turn off the gimbal.
- 3. Press and hold the center button, do not release the joystick. Then press the





power button. The Led light will be flashing in blue-green-orange. Now the gimbal is in boot mode.

3. Open the IoT-OTA-Demo APP.



- 8. Click Scan in the app
- 9. Choose your gimbal, the app will automatically connect your gimbal.

14:46 🛎 🕹 ሌ	14:46 🛎 🕹 🖬 ሌ	🏵 HD 🞋 atl 51% 着
ΟΤΑ		АТС
	MOZA-Mini-P-0552 C0:15:83:19:13:CD	
	CU: 15:83:19:13:CD Unknown 11:82:9C:F1:7D:7C Unknown 71:62:69:C5:89:4C Unknown 70:90:49:6A:BB:B2 Unknown 07:0E:C7:64:FE:76 Unknown 05:04:F9:41:E8:1D Unknown 0E:86:24:27:D5:F9 Unknown 13:BB:5D:A3:D8:12 Unknown 13:BB:5D:A3:D8:12 Unknown 44:58:C2:8C:23:FF Unknown 70:96:F8:1D:78:73 Unknown 15:64:DE:D9:44:95 Unknown 15:64:DE:D9:44:95 Unknown 15:64:DE:D9:44:95 Unknown 7A:40:68:E3:B3:0F Unknown 43:21:64:93:EA:5C Unknown 4E:A2:21:D8:9D:EB Unknown	
SCAN	52:97:E2:80:33:71 S	CAN



10. Then Choose the device name end with OTA.



11. The App will automatically OTA the firmware to the gimbal.

14:49 ≊ & ⊠	∧ OTA	û H¤ ∯.al 50%∎
device name:	MOZA-Mini- D1	P-05-OTA[1913C
MAC: F0:15:83	:19:13:CD	
current versio	on:	
/s file name: BF	torage/emul R_2102e(A02	ated/0/ ?)_CN_200715_r
C OTA start OTA		
70%		70/100
	OTA service fou	nd

12 Once OTA finished, power off your gimbal and exit the app. Bluetooth firmware upgrade complete. You may enjoy your gimbal right now.