

MOZA AirCross 2 Camera Compatibility List (For Firmware V 1.0.5)

Brand	Model	Camera Select Setting	Cable	Shutter	Record	ISO	TV	AV	Auto Focus	Electronic Focus	Power Supply	Note	
Canon	EOS R	M3C-USB	M3C-C	✓	✓	✓	✓	✓	✓	✓	-	Camera firmware Ver.1.0.0	
	EOS RP			✓	✓	✓	✓	✓	✓	✓	-	Camera firmware Ver.1.0.1	
	EOS 6D Mark II			*	✓	✓	✓	✓	✓	✓	✓	-	Camera firmware Ver.1.0.0
	EOS 6D			*	✓	✓	✓	✓	✓	✓	✓	-	
	EOS 60D			*	✓	✓	✓	✓	✓	✓	✓	-	
	EOS 77D		*	✓	✓	✓	✓	✓	✓	✓	-		
	EOS 80D		*	✓	✓	✓	✓	✓	✓	✓	-		
	EOS 5D2		*	✓	✓	✓	✓	✓	✓	✓	-		
	EOS 5D3		*	✓	✓	✓	✓	✓	✓	✓	-		
	EOS 800D/Kiss X9i		*	✓	✓	-	✓	✓	✓	✓	-	Camera firmware Ver.1.0.1	
	EOS 5D Mark IV		*	✓	✓	✓	✓	✓	✓	✓	-		
	EOS 200D II		*	✓	✓	✓	✓	✓	✓	✓	-	Camera firmware Ver.1.0.0	
	EOS M50		*	✓	✓	✓	✓	✓	✓	✓	-	Camera firmware Ver.1.0.0	
	EOS 90D		*	✓	✓	✓	✓	✓	✓	✓	-		
	EOS M6 II		*	✓	✓	✓	✓	✓	✓	✓	-		
EOS M5	*	✓	✓	✓	✓	✓	✓	✓	-				
EOS 750D/Kiss X8i	Shutter Cable	MCSC-C1	✓	-	-	-	-	-	-	-			
SONY	α7R (A7 R)	M3C-USB	M3C-Micro	-	✓	✓	✓	✓	✓	-	-		
	α7S (A7 S)			-	✓	✓	✓	✓	✓	-	-	Camera firmware Ver 3.20	
	α6000			-	✓	✓	✓	✓	✓	✓	-	-	Camera firmware Ver 3.21
	α6300			-	✓	✓	✓	✓	✓	✓	-	✓	
	α6400			-	✓	✓	✓	✓	✓	✓	✓	✓	The camera does not support playback when it is controlled by a computer Camera firmware Ver.2.00
	α6500			-	✓	✓	✓	✓	✓	✓	-	✓	The camera does not support playback when it is controlled by a computer Camera firmware Ver.1.06
	α7S II (A7S M2)			-	✓	✓	✓	✓	✓	✓	-	✓	
	α7R II (A7R M2)			-	✓	✓	✓	✓	✓	✓	-	✓	
	α7 II (A7 M2)			-	✓	✓	✓	✓	✓	✓	-	-	
	α7 III (A7 M3)			-	✓	✓	✓	✓	✓	✓	✓	✓	
	α7R III (A7R M3)			-	✓	✓	✓	✓	✓	✓	✓	✓	The camera does not support playback when it is controlled by a computer Camera firmware Ver.3.10
	DSC-RX100M3			-	✓	✓	✓	✓	✓	✓	-	✓	
	DSC-RX100M4			-	✓	✓	✓	✓	✓	✓	-	✓	
	DSC-RX100M5			-	✓	✓	✓	✓	✓	✓	-	✓	
	α7R (A7 R)			MCSC-Multi/C	MCSC-Multi	✓	✓	-	-	-	✓	-	-
	α7S (A7 S)		MCSC-Multi		✓	✓	-	-	-	✓	-	-	Camera firmware Ver 3.20
	α6000		MCSC-Multi		✓	✓	-	-	-	✓	-	-	Camera firmware Ver 3.21
	α6300		MCSC-Multi		✓	✓	-	-	-	✓	-	✓	
	α6400		MCSC-Multi/C		✓	✓	-	-	-	✓	-	✓	The camera does not support playback when it is controlled by a computer Camera firmware Ver.2.00
	α6500		MCSC-Multi/C		✓	✓	-	-	-	✓	-	✓	The camera does not support playback when it is controlled by a computer Camera firmware Ver.1.06
	α7S II (A7S M2)		MCSC-Multi/C		✓	✓	-	-	-	✓	-	✓	
	α7R II (A7R M2)		MCSC-Multi/C		✓	✓	-	-	-	✓	-	✓	
α7 II (A7 M2)	MCSC-Multi/C	✓	✓		-	-	-	✓	-	-			
α7 III (A7 M3)	MCSC-Multi/C	✓	✓		-	-	-	✓	-	✓	The camera does not support playback when it is controlled by a computer Camera firmware Ver.3.10		
α7R III (A7R M3)	MCSC-Multi/C	✓	✓		-	-	-	✓	-	✓			
α7R IV (A7R M4)	MCSC-Multi/C	✓	✓		-	-	-	✓	-	✓	A7R4 USB control is not available The camera does not support playback when it is controlled by a computer Camera firmware Ver 1.10		
DSC-RX100M3	MCSC-Multi/C	✓	✓		-	-	-	✓	-	✓			
DSC-RX100M4	MCSC-Multi/C	✓	✓		-	-	-	✓	-	✓			
DSC-RX100M5	MCSC-Multi/C	✓	✓		-	-	-	✓	-	✓			
ZV1	MCSC-Multi/C	✓	✓		-	-	-	✓	-	✓	Camera firmware Ver 1.00. Not support vertical mode		
Panasonic	G7	MCSC-Remote	MCSC-Remote		✓	✓	-	-	-	✓	-	-	
	G85			✓	✓	-	-	-	✓	-	-		
	GH3			✓	✓	-	-	-	✓	-	-		
	GH4			✓	✓	-	-	-	✓	-	-		
	S1			✓	✓	-	-	-	✓	-	-	Camera firmware Ver.1.2	
	GH5			✓	✓	-	-	-	✓	-	-	Camera firmware Ver 2.6	
GH5s	✓	✓	-	-	-	✓	-	-					
Nikon	Z6	M3C-USB	M3C-C	✓	✓	✓	✓	✓	✓	✓	-	Camera firmware C 3.00	
	Z7		M3C-Micro	✓	✓	✓	✓	✓	✓	✓	-	Camera firmware C 3.00	
	D850		✓	✓	✓	✓	✓	✓	✓	✓	-		
FUJIFILM	X-T2	Shutter Cable	MCSC-C1	✓	✓	-	-	-	✓	-	-		
	X-T3			✓	✓	-	-	-	✓	-	-		
	X-T20			✓	✓	-	-	-	✓	-	-		
	X-T30			✓	✓	-	-	-	✓	-	-		
	X-A7			✓	✓	-	-	-	✓	-	-		
	X-T3			M3C-USB	M3C-CP	✓	✓	✓	✓	✓	✓	✓	-
BMD	BMPCC 4K			✓	✓	-	-	-	-	-			
Z CAM	Z CAM E2	M3C-LANC	M3C-LANC	-	✓	-	-	-	✓	-	-		
Note	* Indicates that the Canon DSLR camera is recommended to take the camera in MF mode. If the camera is shot in AF mode, there will be a low probability of focus failure and jam.												
	If power supply setting is turned off in the Sony camera's internal settings but the gimbal still supplies power to the camera. Please switch the cable selection (Multi ↔ Multi/C) on the gimbal to switch whether or not to power the camera.												
	Both M3C-Micro cable or M3C-Multi/C cable, when connecting the camera, if it appears "please check the connected device", Please restart the stabilizer and reconnect it once again.												
	These three Sony models can achieve electronic focus: Alpha 7 III, Alpha 7R III, Alpha 6400, if you can't make electronic focus, you can try the lens to be in AF mode, but the camera needs to be set to MF mode.												
	In the default configuration, you can not balance Sony ZV1 in the vertical mode.												
The M3C-CP and M3C-LANC control cables are optional, you can purchase those cables from https://store.gudsen.com/													

Fuji	X-T2X-T3X-T20X-T30	XF 16-55mm 1: 2.8RL M WR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon	
		XF 90mmF2 R LM WR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
		XF60mm F2.4 R Macro	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
		XF 16mm 1:1.4 R WR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
		XF 18-55mm 1:2.8-4 R OIS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
		XF 10-24mm f/4.0 R OIS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
		XF 18-135mmf/3.5-5.6 R LM OIS WR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
Panasonic	GH4,GH5,GH5S	LEICA DG VARIO-ELMARIT 12-60 F2.8~4.0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon	
		LEICA DG SUMMILUX 15mm f/1.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon	
		LEICA DG SUMMILUX 25mm f/1.4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon	
		LEICA DG MACRO 45mm f/2.8 OIS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon	
		LEICA DG Vario-Elmarit 8-18mm f/2.8-4.0 ASPH	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon	
		LUMIX G X Vario 12-35mm f/2.8 II ASPH POWER OIS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
		LUMIX G 14-140mm f/4-5.8 OIS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
		LUMIX G VARIO 14-140mm F3.5-LUMIX 42.5mm FL2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
	LUMIX G VARIO 7-14mm F4.0 ASPH.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon	
	S(102g)	LUMIX S PRO 50mm F1.4	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	-	Coming Soon
		LUMIX S 24-105mm F4 MACRO O.I.S.	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	-	Coming Soon
	Nikon	Z6,Z7	Nikkor Z 24-70mm f/4 S S	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
			Nikkor Z 24-70mm f/2.8 S	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
Nikkor Z 50mm f/1.8 S			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon	
Nikkor Z 35mm f/1.8 S			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon	
Nikkor Z 85mm f/1.8 S			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon	
D810,D850		Nikkor Z 14-30mm f/4 S	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
		AF-S Nikkor 105mm f/1.4E ED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
		AF-S Nikkor 24-70mm f/2.8E ED VR	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	-	Coming Soon
		AF-S Nikkor 24mm f/1.8G ED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
		AF-S Nikkor 58mm f/1.4G	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
		AF-S Nikkor 35mm f/1.8G EG	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
		AF-S Nikkor 85mm f/1.4G	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
		AF-S Nikkor 35mm f/1.4G	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
		AF-S Nikkor 50mm f/1.8G	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
		AF-S Nikkor 20mm f/1.8G ED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon
AF-S Nikkor 28mm f/1.8G	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon		
AF-S Nikkor 24mm f/1.4G ED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon		
BMD	BMPCC 4K	Panasonic 8-18mm F2.8-4 ASPH	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	https://www.panasonic.com/usa/usa/bmpcc-4k.html	
Z CAM	Z CAM E2	LUMIX 42.5mm FL2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Coming Soon	

Note:

1. Due to the variety of lens, the following lens parameters and test data are for reference only.

2. The measured data of the following camera with lens does not apply to any riser plate or counterweight.

3. Due to the limited test lens set, most lenses not listed can be assembled and balanced as long as the dimensions meet the following recommendations.

4. The information in the lens compatibility table will be continuously updated after testing is completed. Other lenses not listed in the table may be compatible if mechanical balance can be achieved on the MOZA AirCross 2.